



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



2025年1月1日起，所有在加拿大运营的航空公司必须遵守新的碳排放标准。

Details

根据新的规定，航空公司必须按照国际民航组织（ICAO）的碳抵消和减排计划（CORSIA）的要求，从2025年起，逐步减少其运营的碳排放量。

这一规定旨在推动航空业向更加环保和可持续的方向发展。

根据最新的报告，加拿大航空公司的碳排放量在2023年达到了历史最高水平。然而，随着新规定的实施，预计将在2025年显著减少。

根据最新的报告，加拿大航空公司的碳排放量在2023年达到了历史最高水平。然而，随着新规定的实施，预计将在2025年显著减少。

根据最新的报告，加拿大航空公司的碳排放量在2023年达到了历史最高水平。然而，随着新规定的实施，预计将在2025年显著减少。

参考文献

1. 加拿大航空公司的碳排放量在2023年达到了历史最高水平。
2. 随着新规定的实施，预计将在2025年显著减少。
3. 根据最新的报告，加拿大航空公司的碳排放量在2023年达到了历史最高水平。
4. 随着新规定的实施，预计将在2025年显著减少。
5. 根据最新的报告，加拿大航空公司的碳排放量在2023年达到了历史最高水平。
6. 随着新规定的实施，预计将在2025年显著减少。
7. 参考文献
8. 参考文献

[illegible][illegible]

QUESTION 1:

[illegible]

2:

[illegible]

3:

1. 本報告係根據「證券管理委員會證券管理規則」及「證券管理委員會證券管理規則」之規定，由本公司董事會及監察人共同編製，並經會計師查核簽證，其內容如有虛偽、隱匿或重大錯誤，本公司董事會及監察人將依法負法律上之責任。

4: _____

[illegible]




Figure 5: Color calibration process diagram

The diagram illustrates the process of color calibration. It starts with a 4x4 grid of colored squares (teal, yellow, red, teal). An arrow points from this grid to a central dashed box. From this central box, four arrows branch out to the right, each pointing to a different color calibration target. Each target consists of a square with a specific color pattern (teal, red, yellow, teal) and a corresponding rectangular box next to it, likely for measurement or recording.

Figure 6: Color calibration process diagram

The diagram illustrates the process of color calibration. It starts with a 4x4 grid of colored squares (teal, yellow, red, teal). An arrow points from this grid to a central dashed box. From this central box, four arrows branch out to the right, each pointing to a different color calibration target. Each target consists of a square with a specific color pattern (teal, red, yellow, teal) and a corresponding rectangular box next to it, likely for measurement or recording.

Figure 7: Color calibration process diagram

The diagram illustrates the process of color calibration. It starts with a 4x4 grid of colored squares (teal, yellow, red, teal). An arrow points from this grid to a central dashed box. From this central box, four arrows branch out to the right, each pointing to a different color calibration target. Each target consists of a square with a specific color pattern (teal, red, yellow, teal) and a corresponding rectangular box next to it, likely for measurement or recording.

CPSC is [16 CFR 1262^{\[7\]}](#) [ASTM F963^{\[8\]}](#) [Proposition 65^{\[10\]}](#) [Health Canada](#) [11](#)

