Zigpac

Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China

YOUR CUSTOM
PRINTING & PACKAGING
PARTNER FOR SMALL AND
MEDIUM BUSINESSES

□□□□□□□□□□□□□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□ □□□□□□□□□

Product Image



Details

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible]? ↑

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible]

[illegible] [illegible] [illegible]	[illegible] [illegible]	“[illegible]” [illegible]
[illegible] [illegible] [illegible]	[illegible] [illegible] [illegible]	[illegible] 100%
[illegible]	[illegible]	[illegible]
[illegible]	[illegible] [illegible] [illegible]	[illegible]

[illegible] [illegible] [illegible]

[illegible] ? ↑

[illegible] [illegible] [illegible]: [illegible] [illegible] [illegible]

[illegible] [illegible]:

- [illegible]
- [illegible]
- [illegible] [illegible] [illegible] [illegible]
- [illegible]

[illegible] [illegible] [illegible] [illegible]

[illegible]

- [illegible]?
- [illegible]?
- [illegible]?
- [illegible]?
- [illegible]?
- [illegible]?
- [illegible]
- [illegible]?

[illegible]? ↑

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible]: [illegible] [illegible] [illegible] [illegible]

[illegible] Signature Patches[7] [illegible] 2 [illegible]: [illegible] [illegible] 75% [illegible] [illegible] 76–100% [illegible] [illegible]

[illegible] Northwest Custom Apparel[8] [illegible] [illegible] “[illegible]” [illegible] “[illegible]” [illegible] [illegible] [illegible] r/Machine_Embroidery[9] [illegible] 4 [illegible] 30,782 [illegible] [illegible] [illegible] 90 [illegible]

[illegible] ASTM D6193-16(2025)[10][illegible] 1 [illegible] 2025 [illegible] “Merrow” [illegible] [illegible] 500 [illegible] [illegible] “[illegible]”

[illegible]? ↑

[illegible] 1: [illegible]

[illegible] [illegible] [illegible] Ruixing [illegible] 2026[11] [illegible] [illegible] 3.5–4.0 mm [illegible] 1.5–2.0 mm [illegible] [illegible] [illegible] Panda Patches[12] [illegible]:

- [illegible] 4 mm [illegible] sans-serif [illegible]
- [illegible] 8 mm [illegible]
- [illegible] 10 mm [illegible]

[illegible] 1 mm [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] The Eagle Patches[13] [illegible]:

- [illegible]: 1×1 to 1.5×2 [illegible]
- [illegible]: 2.5×3 to 3×4 [illegible]
- [illegible]: 2×3 to 3.5×4 [illegible]
- [illegible]: 8×10 to 10×12 [illegible]

World Emblem[14] [illegible] ([illegible] + [illegible]) ÷ 2 [illegible] 15 [illegible] [illegible] [illegible] [illegible]

[illegible] 2: [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] World Emblem [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] [illegible]	[illegible] [illegible]	[illegible]
[illegible] ([illegible] [illegible])	[illegible] [illegible] [illegible]	[illegible] 20–30 [illegible] [illegible]	[illegible] [illegible] [illegible] [illegible]; [illegible] PVC
[illegible]	[illegible]	[illegible]	[illegible]

[illegible] [illegible]:

- Ruixing [illegible] 150–160°C [illegible] 15 [illegible] [illegible] 4–5 bar [illegible] [illegible] 50+ [illegible] [illegible] 25 N/cm
- Panda Patches [illegible] 350°F (175°C) [illegible] 25–30 [illegible] [illegible]
- Northwest Custom Apparel [illegible] 20–30 [illegible]

Owl Badges[15] [illegible] PVC [illegible] [illegible] [illegible] [illegible]

[illegible] ChinaPatchFactory[16] [illegible] : [illegible] 3.0–4.0 mm [illegible] 2.0–2.5 mm [illegible] 1.0–1.5 mm [illegible] [illegible] 3 mm [illegible] 6 mm [illegible] 1.5 [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] ASTM

[illegible] 3: [illegible]

[illegible] AI, EPS, PDF [illegible] SVG [illegible] 300 dpi Qinghan Label[17] [illegible] [illegible] [illegible] Pantone (PMS) [illegible] [illegible] RGB [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] 10–20% [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] 4: [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] r/Machine_Embroidery[18] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] (DST) [illegible]

[illegible] [illegible] (proof) [illegible]

[illegible] 5: [illegible]

[illegible] Ruixing [illegible] AQL AQL 2.5 [illegible] / 4.0 [illegible] [illegible] [illegible] ISO 2859-1 [illegible] [illegible] [illegible] [illegible] ISO 105-C06 [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] PVC [illegible]: [illegible]? ↑

[illegible] 2026 [illegible] Atlanta Vinyl[21] [illegible] 1/4 [illegible] PVC [illegible] 1/8 [illegible]

[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	~1/4 in	[illegible]	[illegible]
[illegible]	~1/8 in	[illegible]	[illegible]
PVC	~1/4 in	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]
[illegible]/[illegible]	[illegible]	[illegible]	[illegible]

[illegible] PVC [illegible]

[illegible]? ↑

[illegible]

[illegible] 12 [illegible] 16 CFR 1252.1[22] [illegible] CPSIA [illegible] 100 ppm 16 CFR 1307.3[23] [illegible] 0.1% [illegible] CPSC[24] [illegible]

[illegible] PVC [illegible] 16 CFR 1610 [illegible] CPSC[25].

[illegible]

REED Manufacturing[26] [illegible] ASTM F1506 [illegible] X1.2.5 [illegible] 16 in^2 [illegible] 40 in^2 in [illegible] NFPA 2112 [illegible] 5 [illegible]

[illegible]

[illegible] HTS 5810 [illegible] HTS [illegible] Textile School[27] [illegible] 14.1% [illegible] 5810.10.00.00 [illegible] Section 301 [illegible] OEC[28] [illegible] $118M [illegible] 2024 [illegible] $8.78M. [illegible] $35.9M [illegible]

[illegible] “[illegible]” [illegible] 2026 [illegible] OEKO-TEX[29] [illegible] STANDARD STANDARD 100 [illegible] 1 [illegible] 2026 [illegible] [illegible] [illegible]

[illegible]	[illegible]	[illegible]
[illegible]	[illegible] [illegible] [illegible] [illegible]	[illegible]
[illegible]	Pantone [illegible] [illegible]	[illegible]
[illegible]	[illegible] mm	[illegible]
[illegible]	[illegible] [illegible] [illegible] [illegible]	[illegible]
[illegible]	[illegible] [illegible] mm	[illegible]
[illegible]	[illegible] [illegible]	[illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] ↑

- [illegible] — [illegible] 1/4 [illegible] [illegible] [illegible] 1/8 [illegible] ([illegible])
- [illegible] — [illegible] 100 ppm ([illegible])
- [illegible] — [illegible] 16 in² [illegible] 40 in² ([illegible])
- [illegible] — 14.1% [illegible] HTS 5810.10 [illegible] Section 301 ([illegible])
- [illegible] [illegible] — [illegible] $118M [illegible] $8.78M [illegible] 2024 ([illegible]

□□□□□□□)

□□? ↑

□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□ □□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□ □□ □□□□□□ □□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□ □□□

□□□□□□□□□ □□□□□□□□□□□□□ □□□□□□□□□□□□ □□

---

[7] Signature Patches: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ ↩

[8] Northwest Custom Apparel: □□ ↩

[9] r/Machine_Embroidery: □□□ 4 □□□□ ↩

[10] ASTM D6193-16(2025): □□ ↩

[11] □□□□□□□ Ruixing: □□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□ AQL □□□□□□□□□□□□□ ↩

[12] □□□□ Panda Patches: □□ ↩

[13] The Eagle Patches: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ ↩

[14] World Emblem: □□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□ □□□□□□□□□□□ ↩

[15] Owl Badges: □□□□□□□□□□ PVC □□□□□□□□□□□□□□□□□□□□□□□□ ↩

[16] ChinaPatchFactory: □□□ ↩

[17] Qinghan Label: □□□□□□□□□□□□□□□□□□□□□□□ Pantone ↩

[18] r/Machine_Embroidery: □□□□□□□□□□□□□□□□□□□□□□□□□□ ↩

[21] Atlanta Vinyl: □□□ ↩

[22] 16 CFR 1252.1: □□□□□□□□□□□□□□□□ CPSIA CPSIA 100 ppm ↩

[23] 16 CFR 1307.3: □□□□□□□□□□□□□□□□ 0.1% ↩

[24] □□□□□□□□□□□□□ CPSC: □□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□ ↩

[25] □□□□□□□□□□□□□□□□□□ CPSC: □□□□□□□□□□□□□□□□□□ 16 CFR 1610 ↩

[26] REED Manufacturing: □□□□□□□□□□□□□□□□□ ASTM F1506 □□□ NFPA 2112 ↩

[27] Textile School: □□□□□□□□□□ HTS 5810 □□□□□□ Section 301 ↩

[28] OEC: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ □□ 2024 ↩

[29] OEKO-TEX: □□ STANDARD 100 □□□□□□□□□□□□□□□□□□□□□□□□ 2026 ↩

Product Option