



Contact Methods
Mob: (86)18668768846
Tel: (86) 577 68668118
Wechat: zigpac123
Skype: bruce.chan1999
E-mail: bruce@zigpac.com
Whatsapp: +86-18668768846
Telegram: @Zigpacstickers

Company Info
Name: Wenzhou Zigpac Industry Limited
Address: No. 148-152, Building C, Jiangbin
Commercial and Residential Building, Longgang
City, Wenzhou City, Zhejiang 325802, China



YOUR CUSTOM PRINTING & PACKAGING PARTNER FOR SMALL AND MEDIUM BUSINESSES



Product image showing a large, circular, scalloped-edge wall decal featuring a scenic landscape with mountains, a lake, and evergreen trees. The decal is mounted on a light-colored wall in a child's room, surrounded by toys and furniture.

Product Image











A large, circular, scalloped-edge artwork featuring a detailed landscape painting of a mountain range, a lake, and evergreen trees. The artwork is surrounded by various art supplies, including a roll of white paper, a cup of pencils, a small bowl, a palette, and a brush.

- 如何選擇合適的數據源？數據質量如何？
- 如何選擇合適的數據源？數據質量如何？
- 如何選擇合適的數據源？數據質量如何？
- 如何選擇合適的數據源？數據質量如何？

- [illegible]

[illegible]

0.001 mil 0.076 mm 3 mil Decals.com

Avery Dennison MPI 2600^[13] (2025) 3 年 GF 226 WallMark^[14] 5 年 Class A 鋼 ASTM E84 Decals.com^[15] 3-5 年 7-10 年

[illegible]

Hyper Creative^[16] 2-6 JiffDiff^[17] 57-60 6-8

Printleaf^[18] 52 0.4



2:

Wall Decal World^[19] 3-4 30

Arlon Tip 39^[20] 24 3M^[21] 1,000 g 15 MCS Wallhogs^[22] Photo-Tex EXS



Figure 3: A detailed watercolor illustration of a mountain landscape, featuring a large evergreen tree in the foreground, a calm lake reflecting the surrounding mountains and sky, and a small boat on the water. The illustration is mounted on a light-colored wall.

File Format	Resolution	Dimensions	Notes
AI, EPS, SVG, PDF	300 dpi	11 x 14 in (280 x 355 mm)	Vector formats, suitable for large-scale printing.
PNG, JPG	300 dpi	11 x 14 in (280 x 355 mm)	Raster formats, suitable for digital use and small-scale printing.
PDF	300 dpi	11 x 14 in (280 x 355 mm)	Portable Document Format, suitable for both digital and print.
AI, EPS, SVG, PDF	300 dpi	11 x 14 in (280 x 355 mm)	Vector formats, suitable for large-scale printing.
PNG, JPG	300 dpi	11 x 14 in (280 x 355 mm)	Raster formats, suitable for digital use and small-scale printing.
PDF	300 dpi	11 x 14 in (280 x 355 mm)	Portable Document Format, suitable for both digital and print.

For more information on the different file formats and their uses, please refer to the following resources:

- [Decals.com](#) [23]
- [Wall Decal World](#) [24]
- [Printleaf](#) [25]



4:

Decals.com^[26] 50°F 65-90°F 180 4OVER4^[27]

? [↑](#)

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

Jessup^[28]



1. 選擇合適的場景和風格，確保貼紙與房間的主題相協調。
 2. 清潔牆面，確保貼紙能牢固粘貼。
 3. 按照說明書的步驟進行貼紙的安裝。
 4. 貼紙安裝後，檢查是否有氣泡或鬆動的情況，並及時調整。
 5. 定期清潔貼紙，保持其美觀。

- 選擇合適的場景和風格，確保貼紙與房間的主題相協調。
- 清潔牆面，確保貼紙能牢固粘貼。
- 按照說明書的步驟進行貼紙的安裝。
- 貼紙安裝後，檢查是否有氣泡或鬆動的情況，並及時調整。
- 定期清潔貼紙，保持其美觀。



1. 選擇適合的貼紙：根據房間的風格和主題，選擇合適的貼紙。例如，兒童房可以選擇卡通動物、花朵或海洋主題的貼紙。



2. 準備牆面：確保牆面平整、乾燥，並清除任何鬆動的塗料或舊貼紙。

貼紙類型	貼紙尺寸與數量	貼紙材質與特性	貼紙安裝與維護
自黏式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
永久性貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。
可移除式貼紙	3-5 英寸 x 3-5 英寸	vinyl, low-VOC, 防水, 易於移除	適用於牆面、傢俱、玻璃等。可用濕布清潔。

3. 貼紙安裝：將貼紙背面的保護紙撕下，將貼紙對準位置，輕輕壓在牆面上。

[illegible]

項目	規格	試験方法
鉛	CPSIA 100 ppm	12 点検出
カドミウム	16 CFR 1252.1	DEHP, DBP 0.1%
ビスフェノールA	CPSIA §108	0.1%
フタル酸エステル	16 CFR Part 1303	90 ppm
ビスフェノールA	65 (1986)	90 ppm

[illegible]

- [illegible]

[illegible]

^[31]eSigns: [\[redacted\]](#) [↩](#)

^[32]eCFR 16 CFR 1252.1: [\[redacted\]](#) [↩](#)

^[33]CPSC: [\[redacted\]](#) [↩](#)

^[34]SEMA: [\[redacted\]](#) Proposition 65 [\[redacted\]](#) DEHP [↩](#)

^[35]UL GREENGUARD: [\[redacted\]](#) UL 2818 [↩](#)

Product Option